

## Certificate of Analysis and Release

Product: FertiVit

Batchnumber :		FP17FVC04
Production date :	DD/MM/YYYY	15/06/2017
Expiry date :	DD/MM/YYYY	30/06/2018
Total batchsize:		149 Kits

<b>FertiVit C1</b>	<b>Result</b>	<b>Specification</b>
pH :	7,34	7.2 - 7.4
Sterility test :	PASSED	PASSED
Endotoxin :	< 0,1 EU/ml	< 0,25EU/mL
Concentration HSA:	19,3	15.6 -23.4 g/liter

<b>FertiVit C2</b>		
pH :	7,31	7.2 - 7.4
Sterility test :	PASSED	PASSED
Endotoxin :	< 0,1 EU/ml	< 0,25EU/mL
Concentration HSA:	19,6	15.2 -22.8 g/liter

<b>FertiVit C3</b>		
pH :	7,33	7.2 - 7.4
Sterility test :	PASSED	PASSED
Endotoxin:	< 0,1 EU/ml	< 0,25EU/mL
Concentration HSA:	17,9	14.4 -21.6 g/liter

<b>FertiVit C4</b>		
pH :	7,39	7.2 - 7.4
Sterility test :	PASSED	PASSED
Endotoxin:	< 0,1 EU/ml	< 0,25EU/mL
Concentration HSA:	18,3	12.8 - 19.2 g/liter

<b>FertiVit C5</b>		
pH :	7,39	7.2 - 7.4
Sterility test :	PASSED	PASSED
Endotoxin:	< 0,1 EU/ml	< 0,25EU/mL
Concentration HSA:	11,6	8.6 - 12.9 g/liter

<b>FertiVit PI</b>		
pH :	7,28	7.2 - 7.4
Sterility test :	PASSED	PASSED
Endotoxin:	0,157 EU/ml	< 0,25EU/mL
Osmolality:	281	270-290mOsm/kg
Concentration HSA:	20,103	16,0 - 24,0 g/liter

Mouse Embryo Assay (blastocyst after 96h):	85,71	≥ 80%
--	-------	-------

Product released by Eileen Vanderplancke on 25/07/2017 (DD/MM/YYYY)

*Eileen Vanderplancke*

**Caution:** All blood products should be treated as potentially infectious. Source material from which this product was derived was found negative when tested for antibodies to HIV, HBc, HCV, and non-reactive for HbsAg, HCV RNS and HIV-1 RNA and syphilis. No known test methods can offer assurance that products derived from human blood will not transmit infectious agents.

*Caution: All blood products should be treated as potentially infectious. Source material from which this product was derived was found negative when tested for antibodies to HIV, HBc, HCV, and non-reactive for HbsAg, HCV RNS and HIV-1 RNA and syphilis. No known test methods can offer assurance that products derived from human blood will not transmit infectious agents.*