QUALITY ASSURANCE CERTIFICATE





Light, highly purified, paraffin oil, to be used as an overlay for culturing gametes and zygotes.

Containing: 100 mL Catalogue no: NO-100

Batch: Production date: Expiry date:

100NOXA11-3 11 January, 2017 10 January, 2019

We certify that this product was manufactured according to set directives for medical devices. The quality of this particular batch was tested and evaluated objectively by stringent, quality control procedures.

Quality Control procedures:		
	Accepted values:	Test results:
Physical analyses		
Density (d 20°C / 20°C, g/mL)	0.82-0.88	0,849
Charility and basis analyses		
Sterility and toxin analyses		
Microbiological growth control	No growth	Comply
Endotoxins, quantitative LAL assay (EU/mL)	< 0.100	<0,005
Biological analyses		
Mouse Embryo Assay (% development to	<u>></u> 80	Comply
blastocyst stage at day 5)		
Human sperm survival after 18 hrs	<u>></u> 85	Comply
Peroxide analyses		
Peroxide level (mEq/kg)	<0.02	0,0016

Date of release: 07 March, 2017

This document is electronically generated and does not bear a signature.

Paul V. Holmes, MSc, PhD, DrMedScMarina DanilovaC.E.O.Quality Assurance Coordinator

Nidacon International AB
Flöjelbergsgatan 16B, SE-431 37 Mölndal, Sweden
Tel:+46-31-703 06 30 Fax:+46-31-40 54 15
E-mail: contact@nidacon.com Web: www.nidacon.com

Doc: NODDA10-3 Ver: 2 Date: 2015-02-02 I(I)